



5285 Hellyer Avenue, Suite 120
 San Jose, CA 95138
 Tel: 408.757.5594 Fax: 408.890.4678
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes
 President
 Edison Grain Inc
 7303 Edgewater Drive. Unit K&L
 Oakland, CA 94621

Report # 011217_12D0114R60
 Customer # 2010219EGI
 Received Date 1/12/2017
 Report Date 1/14/2017
 Page 1 of 2
 P.O.#

Analytical Results

Sample ID	Sample Type	Test	Result
ORGAIC GARBANZO BEAN FLOUR	122916	<i>Aerobic Plate Count</i>	<50 CFU/g
ORGAIC GARBANZO BEAN FLOUR	122916	<i>Coliform</i>	<10 CFU/g
ORGAIC GARBANZO BEAN FLOUR	122916	<i>E.coli</i>	<10 CFU/g
ORGAIC GARBANZO BEAN FLOUR	122916	<i>E.coli O157:H7</i>	Negative/25g
ORGAIC GARBANZO BEAN FLOUR	122916	<i>Gluten</i>	<5 ppm
ORGAIC GARBANZO BEAN FLOUR	122916	<i>Listeria monocytogenes</i>	Negative/25g
ORGAIC GARBANZO BEAN FLOUR	122916	<i>Listeria spp.</i>	Negative/25g

Method Reference:

Aerobic Plate Count	AOAC 2015.13
Coliform	AOAC 991.14
E.coli	PCR(BAM Chp 4)
E.coli O157:H7	PCR(BAM Chp 4A)
Gluten	AOAC 061201
Listeria monocytogenes	PCR(BAM Chp 10)
Listeria spp.	PCR(BAM Chp 10)

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.



5285 Hellyer Avenue, Suite 120
 San Jose, CA 95138
 Tel: 408.757.5594 Fax: 408.890.4678
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes
 President
 Edison Grain Inc
 7303 Edgewater Drive. Unit K&L
 Oakland, CA 94621

Report # 011217_12D0114R60
 Customer # 2010219EGI
 Received Date 1/12/2017
 Report Date 1/14/2017
 Page 2 of 2
 P.O.#

Analytical Results

Sample ID	Sample Type	Test	Result
ORGAIC GARBANZO BEAN FLOUR	122916	<i>Salmonella spp.</i>	Negative/25g
ORGAIC GARBANZO BEAN FLOUR	122916	<i>Staphylococcus aureus</i>	<10 CFU/g
ORGAIC GARBANZO BEAN FLOUR	122916	<i>Yeast & Mold</i>	70 CFU/g

Method Reference:

Salmonella spp.
 Staphylococcus aureus
 Yeast & Mold

PCR(BAM Chp 5:2007)
 PCR(BAM Chp 12)
 AOAC 2014.05

A. Palapath

Laboratory Director OR Approved Signatory

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.