



5285 Hellyer Avenue, Suite 120  
 San Jose, CA 95138  
 Tel: 408.757.5594 Fax: 408.890.4678  
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes  
 President  
 Edison Grain Inc  
 531 Getty Ct. Suite C  
 Benicia, CA 94510

Report # 012318\_132D0125R163  
 Customer # 2010219EGI  
 Received Date 1/23/2018  
 Report Date 1/25/2018  
 Page 1 of 2  
 P.O.# FGB25-0188

### Analytical Results

Sample ID	Sample Type	Test	Result
ORG. GARBANZO BEAN FLOUR	FGB25-0188-US-636	<i>Aerobic Plate Count</i>	350 CFU/g
ORG. GARBANZO BEAN FLOUR	FGB25-0188-US-636	<i>Coliform</i>	<10 CFU/g
ORG. GARBANZO BEAN FLOUR	FGB25-0188-US-636	<i>E.coli</i>	<10 CFU/g
ORG. GARBANZO BEAN FLOUR	FGB25-0188-US-636	<i>E.coli O157:H7</i>	Negative/25g
ORG. GARBANZO BEAN FLOUR	FGB25-0188-US-636	<i>Gluten</i>	<5 ppm
ORG. GARBANZO BEAN FLOUR	FGB25-0188-US-636	<i>Listeria spp.</i>	Negative/25g
ORG. GARBANZO BEAN FLOUR	FGB25-0188-US-636	<i>Moisture Content</i>	9.19%

#### Method Reference:

Aerobic Plate Count	AOAC 2015.13
Coliform	AOAC 991.14
E.coli	PCR(BAM Chp 4)
E.coli O157:H7	PCR(BAM Chp 4A)
Gluten	AOAC 061201
Listeria spp.	PCR(BAM Chp 10)
Moisture Content	AOAC 925.09

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.



5285 Hellyer Avenue, Suite 120  
 San Jose, CA 95138  
 Tel: 408.757.5594 Fax: 408.890.4678  
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes  
 President  
 Edison Grain Inc  
 531 Getty Ct. Suite C  
 Benicia, CA 94510

Report # 012318\_132D0125R163  
 Customer # 2010219EGI  
 Received Date 1/23/2018  
 Report Date 1/25/2018  
 Page 2 of 2  
 P.O.# FGB25-0188

### Analytical Results

Sample ID	Sample Type	Test	Result
ORG. GARBANZO BEAN FLOUR	FGB25-0188-US-636	<i>Salmonella spp.</i>	Negative/25g
ORG. GARBANZO BEAN FLOUR	FGB25-0188-US-636	<i>Staphylococcus aureus</i>	<10 CFU/g
ORG. GARBANZO BEAN FLOUR	FGB25-0188-US-636	Yeast & Mold	30 CFU/g

#### Method Reference:

Salmonella spp.  
 Staphylococcus aureus  
 Yeast & Mold

PCR(BAM Chp 5:2007)  
 PCR(BAM Chp 12)  
 AOAC 2014.05

Purity  
 Tested

TM

*APalepathi*

Laboratory Director OR Approved Signatory

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.