



5285 Hellyer Avenue, Suite 120  
 San Jose, CA 95138  
 Tel: 408.757.5594 Fax: 408.890.4678  
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes  
 President  
 Edison Grain Inc  
 7303 Edgewater Drive. Unit K&L  
 Oakland, CA 94621

Report # 022217\_3D0224R92  
 Customer # 2010219EGI  
 Received Date 2/22/2017  
 Report Date 2/24/2017  
 Page 1 of 2  
 P.O.#

### Analytical Results

Sample ID	Sample Type	Test	Result
ORGANIC GARBANZO BEAN 8MM	BGB55-0487-TR-646	<i>Aerobic Plate Count</i>	200 CFU/g
ORGANIC GARBANZO BEAN 8MM	BGB55-0487-TR-646	<i>Coliform</i>	<10 CFU/g
ORGANIC GARBANZO BEAN 8MM	BGB55-0487-TR-646	<i>E.coli</i>	<10 CFU/g
ORGANIC GARBANZO BEAN 8MM	BGB55-0487-TR-646	<i>E.coli O157:H7</i>	Negative/25g
ORGANIC GARBANZO BEAN 8MM	BGB55-0487-TR-646	<i>Gluten</i>	<5 ppm
ORGANIC GARBANZO BEAN 8MM	BGB55-0487-TR-646	<i>Listeria monocytogenes</i>	Negative/25g
ORGANIC GARBANZO BEAN 8MM	BGB55-0487-TR-646	<i>Listeria spp.</i>	Negative/25g

#### Method Reference:

Aerobic Plate Count	AOAC 2015.13
Coliform	AOAC 991.14
E.coli	PCR(BAM Chp 4)
E.coli O157:H7	PCR(BAM Chp 4A)
Gluten	AOAC 061201
Listeria monocytogenes	PCR(BAM Chp 10)
Listeria spp.	PCR(BAM Chp 10)

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.



5285 Hellyer Avenue, Suite 120  
 San Jose, CA 95138  
 Tel: 408.757.5594 Fax: 408.890.4678  
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes  
 President  
 Edison Grain Inc  
 7303 Edgewater Drive. Unit K&L  
 Oakland, CA 94621

Report # 022217\_3D0224R92  
 Customer # 2010219EGI  
 Received Date 2/22/2017  
 Report Date 2/24/2017  
 Page 2 of 2  
 P.O.#

## Analytical Results

Sample ID	Sample Type	Test	Result
ORGANIC GARBANZO BEAN 8MM	BGB55-0487-TR-646	<i>Salmonella spp.</i>	Negative/25g
ORGANIC GARBANZO BEAN 8MM	BGB55-0487-TR-646	<i>Staphylococcus aureus</i>	<10 CFU/g
ORGANIC GARBANZO BEAN 8MM	BGB55-0487-TR-646	Yeast & Mold	30 CFU/g

## Method Reference:

Salmonella spp.  
 Staphylococcus aureus  
 Yeast & Mold

PCR(BAM Chp 5:2007)  
 PCR(BAM Chp 12)  
 AOAC 2014.05

Purity  
 Tested

TM

A handwritten signature in cursive script, appearing to read 'A. Palapathi'.

Laboratory Director OR Approved Signatory

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.