



5285 Hellyer Avenue, Suite 120
 San Jose, CA 95138
 Tel: 408.757.5594 Fax: 408.890.4678
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes
 President
 Edison Grain Inc
 7303 Edgewater Drive. Unit K&L
 Oakland, CA 94621

Report # 091616_17D0918R65
 Customer # 2010219EGI
 Received Date 9/16/2016
 Report Date 9/18/2016
 Page 1 of 2
 P.O.#

Analytical Results

Sample ID	Sample Type	Test	Result
ORGANIC PSYLLIUM HUSK	SPH55-2586-IN-779	<i>Aerobic Plate Count</i>	4,900 CFU/g
ORGANIC PSYLLIUM HUSK	SPH55-2586-IN-779	<i>Coliform</i>	<10 CFU/g
ORGANIC PSYLLIUM HUSK	SPH55-2586-IN-779	<i>E.coli</i>	<10 CFU/g
ORGANIC PSYLLIUM HUSK	SPH55-2586-IN-779	<i>E.coli O157:H7</i>	Negative/25g
ORGANIC PSYLLIUM HUSK	SPH55-2586-IN-779	<i>Gluten</i>	<5 ppm
ORGANIC PSYLLIUM HUSK	SPH55-2586-IN-779	<i>Listeria monocytogenes</i>	Negative/25g
ORGANIC PSYLLIUM HUSK	SPH55-2586-IN-779	<i>Listeria spp.</i>	Negative/25g

Method Reference:

Aerobic Plate Count	AOAC 988.18
Coliform	AOAC 991.14
E.coli	PCR(BAM Chp 4)
E.coli O157:H7	PCR(BAM Chp 4A)
Gluten	AOAC 061201
Listeria monocytogenes	PCR(BAM Chp 10)
Listeria spp.	PCR(BAM Chp 10)

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.



5285 Hellyer Avenue, Suite 120
 San Jose, CA 95138
 Tel: 408.757.5594 Fax: 408.890.4678
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes
 President
 Edison Grain Inc
 7303 Edgewater Drive. Unit K&L
 Oakland, CA 94621

Report # 091616_17D0918R65
 Customer # 2010219EGI
 Received Date 9/16/2016
 Report Date 9/18/2016
 Page 2 of 2
 P.O.#


Analytical Results

Sample ID	Sample Type	Test	Result
ORGANIC PSYLLIUM HUSK	SPH55-2586-IN-779	<i>Salmonella spp.</i>	Negative/25g
ORGANIC PSYLLIUM HUSK	SPH55-2586-IN-779	<i>Staphylococcus aureus</i>	<10 CFU/g
ORGANIC PSYLLIUM HUSK	SPH55-2586-IN-779	<i>Yeast & Mold</i>	40 CFU/g

Method Reference:

Salmonella spp.
 Staphylococcus aureus
 Yeast & Mold

PCR(BAM Chp 5:2007)
 PCR(BAM Chp 12)
 AOAC 2014.05



A. Palapathi

 Laboratory Director OR Approved Signatory

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.