

TO: Mr. Jeffrey Barnes  
 President  
 Edison Grain Inc  
 531 Getty Ct. Suite C  
 Benicia, CA 94510

 Report # 071718\_101D0719R133  
 Customer # 2010219EGI  
 Received Date 7/17/2018  
 Report Date 7/19/2018  
 Page 1 of 2  
 P.O.# 2074-BEP00


**Analytical Results**

| Sample ID           | Sample Type       | Test                       | Result       |
|---------------------|-------------------|----------------------------|--------------|
| ORG. BLACK EYE PEAS | BEP00-1998-US-797 | <i>Aerobic Plate Count</i> | 800 CFU/g    |
| ORG. BLACK EYE PEAS | BEP00-1998-US-797 | <i>Coliform</i>            | <10 CFU/g    |
| ORG. BLACK EYE PEAS | BEP00-1998-US-797 | <i>E.coli</i>              | <10 CFU/g    |
| ORG. BLACK EYE PEAS | BEP00-1998-US-797 | <i>E.coli O157:H7</i>      | Negative/25g |
| ORG. BLACK EYE PEAS | BEP00-1998-US-797 | <i>Gluten</i>              | <5 ppm       |
| ORG. BLACK EYE PEAS | BEP00-1998-US-797 | <i>Listeria spp.</i>       | Negative/25g |
| ORG. BLACK EYE PEAS | BEP00-1998-US-797 | <i>Salmonella spp.</i>     | Negative/25g |

**Method Reference:**

|                     |                     |
|---------------------|---------------------|
| Aerobic Plate Count | AOAC 2015.13        |
| Coliform            | AOAC 991.14         |
| E.coli              | PCR(BAM Chp 4)      |
| E.coli O157:H7      | PCR(BAM Chp 4A)     |
| Gluten              | AOAC 061201         |
| Listeria spp.       | PCR(BAM Chp 10)     |
| Salmonella spp.     | PCR(BAM Chp 5:2007) |

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.

TO: Mr. Jeffrey Barnes  
 President  
 Edison Grain Inc  
 531 Getty Ct. Suite C  
 Benicia, CA 94510

 Report # 071718\_101D0719R133  
 Customer # 2010219EGI  
 Received Date 7/17/2018  
 Report Date 7/19/2018  
 Page 2 of 2  
 P.O.# 2074-BEP00


 Analytical Results

| Sample ID           | Sample Type       | Test                         | Result    |
|---------------------|-------------------|------------------------------|-----------|
| ORG. BLACK EYE PEAS | BEP00-1998-US-797 | <i>Staphylococcus aureus</i> | <10 CFU/g |
| ORG. BLACK EYE PEAS | BEP00-1998-US-797 | <i>Yeast &amp; Mold</i>      | 15 CFU/g  |

## Method Reference:

 Staphylococcus aureus  
 Yeast & Mold

 PCR(BAM Chp 12)  
 AOAC 2014.05


 VERIFIED.  
 Gluten Free  
 TM


 VERIFIED.  
 Purity Tested


 A. Palapathi

Laboratory Director OR Approved Signatory

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.