



5285 Hellyer Avenue, Suite 120  
 San Jose, CA 95138  
 Tel: 408.757.5594 Fax: 408.890.4678  
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes  
 President  
 Edison Grain Inc  
 7303 Edgewater Drive. Unit K&L  
 Oakland, CA 94621

Report # 050916\_8D0511R13  
 Customer # 2010219EGI  
 Received Date 5/9/2016  
 Report Date 5/11/2016  
 Page 1 of 2  
 P.O.#

### Analytical Results

Sample ID	Sample Type	Test	Result
BBK25-1256-CN-324	Org Black Bean	<i>Aerobic Plate Count</i>	<50 CFU/g
BBK25-1256-CN-324	Org Black Bean	<i>Coliform</i>	<10 CFU/g
BBK25-1256-CN-324	Org Black Bean	<i>E.coli</i>	<10 CFU/g
BBK25-1256-CN-324	Org Black Bean	<i>E.coli O157:H7</i>	Negative/25g
BBK25-1256-CN-324	Org Black Bean	<i>Gluten</i>	<5 ppm
BBK25-1256-CN-324	Org Black Bean	<i>Listeria monocytogenes</i>	Negative/25g
BBK25-1256-CN-324	Org Black Bean	<i>Listeria spp.</i>	Negative/25g

#### Method Reference:

Aerobic Plate Count	AOAC 988.18
Coliform	AOAC 991.14
E.coli	PCR(BAM Chp 4)
E.coli O157:H7	PCR(BAM Chp 4A)
Gluten	AOAC 061201
Listeria monocytogenes	PCR(BAM Chp 10)
Listeria spp.	PCR(BAM Chp 10)

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.



5285 Hellyer Avenue, Suite 120  
 San Jose, CA 95138  
 Tel: 408.757.5594 Fax: 408.890.4678  
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes  
 President  
 Edison Grain Inc  
 7303 Edgewater Drive. Unit K&L  
 Oakland, CA 94621

Report # 050916\_8D0511R13  
 Customer # 2010219EG1  
 Received Date 5/9/2016  
 Report Date 5/11/2016  
 Page 2 of 2  
 P.O.#


#### Analytical Results

Sample ID	Sample Type	Test	Result
BBK25-1256-CN-324	Org Black Bean	<i>Salmonella spp.</i>	Negative/25g
BBK25-1256-CN-324	Org Black Bean	<i>Staphylococcus aureus</i>	<10 CFU/g
BBK25-1256-CN-324	Org Black Bean	<i>Yeast &amp; Mold</i>	<10 CFU/g

#### Method Reference:

Salmonella spp.  
 Staphylococcus aureus  
 Yeast & Mold

PCR(BAM Chp 5:2007)  
 PCR(BAM Chp 12)  
 PCR(BAM Chp 18)



*APalapa*

Laboratory Director OR Approved Signatory

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.