



5285 Hellyer Avenue, Suite 120
 San Jose, CA 95138
 Tel: 408.757.5594 Fax: 408.890.4678
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes
 President
 Edison Grain Inc
 531 Getty Ct. Suite C
 Benicia, CA 94510

Report # 081418_102D0816R125
Customer # 2010219EGI
Received Date 8/14/2018
Report Date 8/16/2018
Page 1 of 2
P.O.# BRK-2039

Analytical Results

Sample ID	Sample Type	Test	Result
ORG. DARK RED KIDNEY BEANS	BRK00-2258-CN-324-2039	<i>Aerobic Plate Count</i>	<50 CFU/g
ORG. DARK RED KIDNEY BEANS	BRK00-2258-CN-324-2039	<i>Coliform</i>	<10 CFU/g
ORG. DARK RED KIDNEY BEANS	BRK00-2258-CN-324-2039	<i>E.coli</i>	<10 CFU/g
ORG. DARK RED KIDNEY BEANS	BRK00-2258-CN-324-2039	<i>E.coli O157:H7</i>	Negative/25g
ORG. DARK RED KIDNEY BEANS	BRK00-2258-CN-324-2039	<i>Gluten</i>	<5 ppm
ORG. DARK RED KIDNEY BEANS	BRK00-2258-CN-324-2039	<i>Listeria spp.</i>	Negative/25g
ORG. DARK RED KIDNEY BEANS	BRK00-2258-CN-324-2039	<i>Salmonella spp.</i>	Negative/25g

Method Reference:

Aerobic Plate Count	AOAC 2015.13
Coliform	AOAC 991.14
E.coli	PCR(BAM Chp 4)
E.coli O157:H7	PCR(BAM Chp 4A)
Gluten	AOAC 061201
Listeria spp.	PCR(BAM Chp 10)
Salmonella spp.	PCR(BAM Chp 5:2007)

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.



5285 Hellyer Avenue, Suite 120
 San Jose, CA 95138
 Tel: 408.757.5594 Fax: 408.890.4678
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes
 President
 Edison Grain Inc
 531 Getty Ct. Suite C
 Benicia, CA 94510

Report # 081418_102D0816R125
Customer # 2010219EGI
Received Date 8/14/2018
Report Date 8/16/2018
Page 2 of 2
P.O.# BRK-2039

Analytical Results

Sample ID	Sample Type	Test	Result
ORG. DARK RED KIDNEY BEANS	BRK00-2258-CN-324-2039	<i>Staphylococcus aureus</i>	<10 CFU/g
ORG. DARK RED KIDNEY BEANS	BRK00-2258-CN-324-2039	Yeast & Mold	<10 CFU/g

Method Reference:

Staphylococcus aureus
 Yeast & Mold

PCR(BAM Chp 12)
 AOAC 2014.05



 Laboratory Director OR Approved Signatory

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.