



5285 Hellyer Avenue, Suite 120  
 San Jose, CA 95138  
 Tel:408.757.5594 Fax: 408.890.4678  
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes  
 President  
 Edison Grain Inc  
 531 Getty Ct. Suite C  
 Benicia, CA 94510

Report # 112619\_125D1202R98  
 Customer # 2010219EGI  
 Received Date 11/26/2019  
 Report Date 12/2/2019  
 Page 1 of 2  
 P.O.# 2296/BSR00

### Analytical Results

Sample ID	Sample Type	Test	Result
Organic Small Red Bean s	BSR00-3279-US-743-2296	<i>Aerobic Plate Count</i>	50 CFU/g
Organic Small Red Bean s	BSR00-3279-US-743-2296	<i>Coliform</i>	<10 CFU/g
Organic Small Red Bean s	BSR00-3279-US-743-2296	<i>E.coli</i>	<10 CFU/g
Organic Small Red Bean s	BSR00-3279-US-743-2296	<i>E.coli O157:H7</i>	Negative/25g
Organic Small Red Bean s	BSR00-3279-US-743-2296	<i>Gluten</i>	<5 ppm
Organic Small Red Bean s	BSR00-3279-US-743-2296	<i>Listeria spp.</i>	Negative/25g
Organic Small Red Bean s	BSR00-3279-US-743-2296	<i>Salmonella spp.</i>	Negative/25g

#### Method Reference:

Aerobic Plate Count	AOAC 2015.13
Coliform	AOAC 991.14
E.coli	PCR(BAM Chp 4)
E.coli O157:H7	PCR(BAM Chp 4A)
Gluten	AOAC 061201
Listeria spp.	PCR(BAM Chp 10)
Salmonella spp.	PCR(BAM Chp 5:2007)

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.



5285 Hellyer Avenue, Suite 120  
 San Jose, CA 95138  
 Tel: 408.757.5594 Fax: 408.890.4678  
 Email: support@genistabio.com

TO: Mr. Jeffrey Barnes  
 President  
 Edison Grain Inc  
 531 Getty Ct. Suite C  
 Benicia, CA 94510

Report # 112619\_125D1202R98  
 Customer # 2010219EGI  
 Received Date 11/26/2019  
 Report Date 12/2/2019  
 Page 2 of 2  
 P.O.# 2296/BSR00

### Analytical Results

Sample ID	Sample Type	Test	Result
Organic Small Red Bean s	BSR00-3279-US-743-2296	<i>Staphylococcus aureus</i>	<10 CFU/g
Organic Small Red Bean s	BSR00-3279-US-743-2296	Yeast & Mold	<10 CFU/g

#### Method Reference:

Staphylococcus aureus  
 Yeast & Mold

PCR(BAM Chp 12)  
 AOAC 2014.05



*APalapati*

\_\_\_\_\_  
 Laboratory Director OR Approved Signatory

The results contained in this report relate only to samples submitted. Samples are tested using Genista SOPs. Genista Biosciences does not accept any liability for damages arising out of the use or interpretation of the results contained in this report.